



UberVault

*Use your Apple device to securely store a digital backup copy of the physical **Personal IDs** and other **Important Items** in your possession.*

Application Help Guide



© 2024 Omni Consulting, LLC

Foreword

*The main purpose of this app is to enable the user to create and maintain virtual Lockboxes to securely store **Lockbox Items** locally on your Apple iPhone, iPad, iPod touch, or Mac (M1+) device (the **UberVault**).*

The virtual Lockboxes can file digital copies of Charge Cards, Drivers Licenses, or other similar personal items suitable for importing by the device owner.

These captured items constitute an off-line backup copy of original records for historical purpose and future reference.

All information supplied by the user is stored locally on the device and kept private, not being exposed to any other app or web-based entities.

No internet connection is required. The app also functions with the device operating in Airplane Mode.

Contents

I. Overview

II. App Installation

III. Privacy and Data Protection

IV. Lockbox Items

V. Preferences

VI. App Help Guide

I. Overview

‘UberVault’ securely manages **Lockbox Items** in image form for back-up retention and on-demand personal identification and recall purposes.

The app allows for the safekeeping of original documents (usually kept in an owners wallet) as digital copies in user-defined virtual Lockboxes, all securely stored on your Apple Device.

‘UberVault’ has built-in categories by which the digitized items are organized, such as: Credit/Debit Card, Drivers License, Club Membership, Social Security Card, Student ID, and several others types.

The user may also define preferred custom types.

These items are stored in virtual Lockboxes, assigned by owner of the original documents.

Data entry, search, and full backup/restore capabilities are provided to an authenticated user.

Data capturing is facilitated by using the device camera to either photograph or scan the source documents for storage in the **‘UberVault’** virtual Lockbox.

User Lockbox items can be promptly edited or displayed by the device owner.

For obvious security reasons, **Lockbox Item** functions require that the device Owner activated the app login protection feature.

NOTE: The app does not depend on being connected to the Internet, or a Local Area Network (LAN), and can be used in Airplane Mode.

All user-data is securely stored locally on the device and access-protected with owner configured password and/or a biometric type authentication method (e.g. Touch ID, Face ID).

‘**UberVault**’ is developed as a universal app, targeted for iPhone, iPad, iPod touch, Mac (M1+) devices.

iOS/iPadOS 16.0 (and later) must be deployed on the unit to install the app from the App Store.

II. App Installation






‘**UberVault**’ app is downloaded from the Apple App Store directly onto the owners device, running iOS/iPadOS version 16.0+, or macOS . Once installed, the app is specifically designed to only function on an iPhone, iPod touch, iPad, or Mac computer (with Apple silicon) without requiring any network connectivity.

IMPORTANT: Starting with ‘UberVault’ version 3.44, when the app is replacing an older version, conversion of user data to the latest secured format is required. The advanced secured data format primarily addresses potential file exposure due to the inherent operating system design when run on a Mac with Apple silicon. In addition to the encryption of the ‘UberVault’ database file, all individual data elements with the file are also encrypted.



After successful installation, app ‘UberVault’ will support the automatic conversion and import of backup files that were created in the past.

Following are the screen shots to demonstrate the sequence of events and user options when data

conversion requirements are detected during the initial steps of the app installation.




User authentication is required before data conversion and importation is started.



The previous data will be replaced on the device. If the **Reset** option was selected, then the current data will be deleted from the device and the app installed, ready for new data input by the user.

When initially run on an Mac with Apple silicon, a screen is displayed to inform the user which Touch Alternatives to use for input as if manipulated on an iPad screen.



The app will start in preparation for initializing the operational environment by requesting authentication credentials from the device owner. Certain start-up views will be displayed to guide through the setup process.

The following example screen shots represent the installation sequence on an iPhone.



**UberVault
Owner Info**

edit

Lockbox ID

Demo4711

First Name

Jo Olaf

Last Name

Doe

Nickname *

JoJo

Owner Date of Birth *

January 12 1994

*(optional)

Next

Lockbox ID:

Assign an ID to uniquely identify the owner of a virtual Lockbox (minimum of 5 characters)

First/Last Name:

The Owners First and Last Name

Nickname:

The Owners Nickname (optional)

Date of Birth:

The Owners DoB (optional)

The Information is used by the app to associate an imported image item to a specific owners Lockbox.

Login Credentials

The password must be at least four characters in length, and less than 128.

Assign a Password

Select a Security Question

Mothers Maiden Name
Fathers Middle Name
Make of First Car
Pets Name

Provide a Security Answer

← Back (i) → Next

Login Credentials

The password must be at least four characters in length, and less than 128.

Assign a Password

"UberVault" Would Like to Access Your Photos

The Photo Library is used to import an image of a Personal ID/Charge Card for secured in-app backup storage and on-demand recall.

Select Photos...
Allow Access to All Photos
Don't Allow

Provide a Security Answer

← Back (i) → Next

To prevent unauthorized access to the features of the **‘UberVault’** app, you need to provide the following-

Password:

Minimum of four Characters

Security Question:

Pick one of the presented options.

Security Answer:


This is your response that is assigned to the Security Question.

IMPORTANT: The security Question/Answer pair is required in case you wish to change or recover the app login password.

If the login password cannot be recovered, then the only way to re-enable access to the app features is by either deleting and re-installing the app from the App Store (resulting in the loss of data), or restoring a previously saved '**UberVault**' backup file.

Upon completion of the setup procedure, and unless Face/Touch ID is enabled, the user is presented a login screen to authenticate in order to open the app for general use.

The initial screen will enable the device owner to add the first digital Lockbox Item into the app database by tapping the 'Add New Item' list entry. Touching the 'My Lockbox' heading will display a general information view, while tapping the 'Person' icon allows for changing the image.



III. Privacy and Data Protection

All data collected to meet the functional objectives of this app (**‘UberVault’**) are securely stored internally on your device and **not** uploaded to a remote server, iCloud, or any other Internet-based repository/service.

There is no **‘UberVault’** Cloud.

There is no **Profiling**. Neither **Apple** nor the app developer can see any of the information that is entered by you.


We fully support the privacy initiatives spearheaded by **Apple**, and therefore publish **‘UberVault’** exclusively on **iOS/iPadOS/macOS** platforms within the guidelines of the **App Store Legal Privacy Policy**:

“Apps submitted to the App Store that support account (e.g. Lockbox) creation must also let users initiate deletion of their account within the app.

Deleting an account removes the account from the developer’s app, along with any data associated with the account that the developer isn’t legally required to maintain. Providing this capability gives the user more control of the personal data they have shared.”

Users can manage their data in confidence being assured that their information is kept private on the device on which the app is installed from the **Apple App Store**.





The user can control the apps' iOS/iPadOS Privacy settings based on certain functions to be performed.



Typical allowed features include access to:

1. *Photos* to retrieve an existing image already stored on your device
2. *Face/Touch ID* to allow quick and secure app authentication
3. Camera to scan source document to store as Lockbox Item.

On a Mac with Apple silicon (M1+), similar displays give the user the option to select several configurations:



Devices running iOS V16+ and supporting Long-press and/or 3D Touch gestures, when applied on the app icon of the Home Screen, will project the owners digital Lockbox item in Widget appearance.

*‘**UberVault**’ provides a user option to configure Lock Screen Accessory Widgets containing contact information for the purpose of facilitating a device Finder to return a lost unit to the Owner. This option is only available when the app is installed on a device running iOS 16+.*

Access to the app privacy features requires authentication by means of user log-in credentials.

IV. Lockbox Items

A. Add New Item

B. List/Edit Item

C. Update Widget

Overview

The app allows for the registration and secure storage of **Lockbox Items**.

Multiple items can be entered per person.
However, duplicate entries are not permitted.

The user has the option to display a Lockbox Item for identification purposes.

The device owner may also create a widget for display on the device Home/Lock Screen (requires iOS 16+), and/or show the Lockbox Item image via a short-cut option by pressing the app icon.

Lockbox Item data management is separated by two virtual Lockbox Categories:



1. My Lockbox

*This folder is used to store information specifically related to the owner of the device on which the app is installed, or the primary user of the app who also acts as the administrator of the **UberVault**.*

2. Family Lockboxes

This folder, if applicable, is intended to store additional information for any other family members.

The following functions are available, differences


between the two Lockbox classifications are indicated:

A. Add New Item

Enables one to register one or more **Lockbox Item**.

When creating a digital form of a **Lockbox Item**, certain information must be provided by the user, such as:

- *The **Item** type or category.*




The following are supported for user selection:

Access Card, Auto Liability Insurance Cards, Club Membership, Commercial License, Covid-19 Vaccination Card, Credit Card, Debit Card, Dental Plan, Discount Savings, Drivers License, Employee Badge, General Purpose, Gift Card, Green Card, Lens Implant Card, Library Card, License to Carry, Medical Certificate, Medical Device, Medical Health Plan, Passport, Permanent Resident Card, Pilot Certificate, Prescription Plan, Professional License, Social

Security, Store Card, Student ID, Voter ID, Other

The user can also define a custom type for assignment when adding a new item to a Lockbox.



In the event where a new **Lockbox Item** is added for a **Family Member**, that member must either be selected from a drop-down menu, or if non-existing, defined first and assigned to a new virtual Lockbox.

Lockbox Owner Assignment

Please make your selection

↑↓

New Lockbox Owner

Add another Family Member Lockbox

← Back

→ Next

edit

Lockbox Owner Info

Lockbox ID *

Demo12345

First Name *

Pauline

Last Name *

Doe

Nickname

Dopa

Owner Date of Birth

October181991

*(required entry)

← Back

→ Next

Add Lockbox Item

Your New Item

Select a Type

Lockbox Owner

The Unique ID for the new User Lockbox will be 'Demo12345'. (Pauline Doe)

Do you wish to continue with this assignment?

Cancel

Yes

Club Membership

← Exit


Privacy

Apply

- An **Image** of the original Document Item.

As a minimum requirement, import the Source Document front image by either taking a picture, or scanning with the device camera. Selecting an existing image from the Photo Library is another method, or from a user-selected file when running on a Mac with Apple silicon.


A supplementary secondary image, such as the back side of the source document, may also be imported for completeness.



Tap on either placeholder image to initiate the import function.



Optionally, after each import, use the top right Rotation/ Crop Icon above the respective image view to modify the orientation and size .



- ***Details*** extracted from the original Lockbox Item are to be provided as follows:

After importing an item image, and if any potential text is contained in the image, a 'OCR' button is shown to the left location of the text field for which input should be provided (iOS/iPadOS 16.0+ only). Tapping the button will enable the extracting of text from the image for direct import and avoid using the keyboard. If no 'OCR' button is shown, then input is expected via the device keyboard.

Tap the image which contains the text of interest. If necessary, use a two-finger gesture to rotate and scale the image to horizontally position the text of interest for

extraction. Use one finger to draw a rectangle around the text, and if acceptable, the extracted text will then be copied into the appropriate text field.

1. Select a Reference Date pertaining to the item, e. g. Expiration, Renewal, etc. Tap the '**Alert**' button to indicate if the date is to be monitored. Upon startup (or user-initiated app main menu refresh), and compared to the current device date, '**UberVault**' will generate a local notification if the item date is either: *expired*, or *due today (tomorrow, in two days, in seven days, in one month)*. A list of affected Lockbox items will be displayed to the user.

Add Lockbox Item
Joe Olaf Doe
(JoJo)
DoB: Jan 12, 1994

Drivers License

Reference Date
Jan 12, 2026 **Alert!**

OCR Item Identifier
66290906

OCR Memo (optional) **Clear**
Demo Drivers License

OCR Issued By (optional)
Texas Department Of Transportation

← Back ⓘ → Next

Add Lockbox Item
Joe Olaf Doe
(JoJo)
DoB: Jan 12, 1994

Drivers License

Reference Date
Jan 12, 2026 **Alert!**

Drivers License Identifier Validation
Please enter a unique identifying number or value copied from the original source document.

Optionally, define your Custom entry (at least five alphanumeric characters) or let the app make an Automatic assignment.

Custom **Automatic**

OCR Issued By (optional)
Texas Department Of Transportation

← Back ⓘ → Next

2. Input the unique item identifier. Duplicates are not allowed. Alternatively, the app will assign an item identifier for you.

Add Lockbox Item
Jo Olaf Doe
(JoJo)
DoB: Jan 12, 1994

Drivers License

Reference Date Monitor
Please indicate if this Lockbox Item date should be monitored.

Relative to your 'iPhone' system date, each time the 'UberVault' app is run, an indication will alert whether the Item Reference Date is expired, due this day, or about to expire in one or two days.

Do you wish to enable Item Monitoring?

No **Yes**

Issued By (optional)
Texas Department Of Transportation

← Back ⓘ → Next

Additional optional input data is recommended:

3. Any supporting memo text for future reference.

4. Enter the name of organization that issued the item.

Optional input, if left empty, will be replaced with 'TBD' (To Be Determined). You can update that information at a later time from within the 'List/Edit Items' entry located on the '**UberVault**' main app page.

NOTE: The combination of the input data provided can be used for content searches and will also form a unique electronic item.

Only one virtual Lockbox per user can be defined.


Multiple item entries per Lockbox are allowed.

Duplicates, however, are not.

Lockbox Item Review



Jo Olaf Doe
(JoJo)
DoB: Jan 12, 1994



(1 of 6)

Updated: 2024/12/04 17:05

Drivers License

(Digital ID/Card Number: 66290906)

Reference Date (w/Expiration Alert)

Jan 12, 2026

Issuer: Texas Department Of Transportation



Back

Apply



Lockbox Item Review



Jo Olaf Doe
(JoJo)
DoB: Jan 12, 1994



(2 of 6)

Updated: 2024/12/04 17:05

Drivers License

(Digital ID/Card Number: 66290906)

Reference Date (w/Expiration Alert)

Jan 12, 2026

Issuer: Texas Department Of Transportation



Back

Apply



B. List/Edit Item


Lists **Lockbox Items** belonging to either just the device owner or of all family members.




Tapping the 'Info' button at the top right corner will display a scrolling page of statistics regarding the overall UberVault usage. Swiping the main view down will refresh the date alert notification process.

Tapping the bottom right Search icon will display a page allowing for the searching of the UberVault virtual Lockboxes content.

Note that the app Badge Icon will display the number of monitored items that have passed their expiration date.




Tapping the List/Edit Item entry will display a list of all items stored in a virtual a Lockbox for a given owner.



Additional actions, such as 'Edit', 'Delete', and (for device owner) 'Update Widget', can be performed when selecting/ swiping a given entry on the displayed list.

In the event where an individual item or all items of a Family Lockbox are requested for deletion, the app will first perform a full backup of the **UberVault** data base in the background and add it to a list of available files for data restoration.






A search function is provided to display Lockbox items based on multiple content criteria.

Also, the Lockbox Item's Memo content is included when the user searches for any text of interest in the **UberVault** database.

Tapping a list entry will display a person's Lockbox Item. If multiple Lockbox Items are on file by a user, then the view allows for scrolling through all the respective Lockbox entries.


If a Lockbox Item has a QR image containing a website URL, then a short spinning globe gif is shown. At the end of the animation, the user can tap on the QR image, and the browser will be launched outside the '**UberVault**' app to open the website. This requires that the device is connected to the Internet.




In the event where multiple QR codes are detected in the same image, the user can pick the website of choice to be launched.

A given Lockbox Item image or a Lockbox Items report can also be exported in pdf-format by invoking the 'Action' button at the bottom of the view.


A view is displayed to offer some reporting and sorting options.



The *Simple* report option generates just fundamental Lockbox and item data, whereas the *Comprehensive* version also includes the images for each item and other




additional information. Either report type can be password protected (same password as used to log into the **‘UberVault’** app) and unique appendices generated for any Lockbox Item that has a PDF embedded.





The bottom Action Button provides functionality to either export the Item Image, generate an Item PDF Report, or copy the Lockbox Item to another Lockbox.

Tap the top right icon of the Item View to activate the *More Actions* multi-feature.



If app '**UberVault**' is run on iOS/iPadOS version 16 (and above), then a prompt will be displayed giving the user to select one of the following options:



1. PDF Import/Delete/Action
2. Item Website Login
3. Use Magnifier
4. Edit Item





1. PDF Import/Delete/Action

This feature allows for the addition, deletion of one pdf document to supplement the Lockbox Item for more extensive descriptive purposes. The **Action** enables the user to copy the document for pasting into another Lockbox Item within the UberVault database.

Alternatively, the pdf document can be viewed, searched, printed or exported from the '**UberVault**' app using other available OS actions.




Document import examples are shown on the following page.



2. Item Website Login

The Website URL, User ID, as well as the Login Password can be stored in reference to the Lockbox Item. The URL can be invoked in real time by the user, and a connection is made to the website (provided the device has an Internet connection). However, login credentials will not be automatically inserted for authentication. The app will automatically preface the URL with *HTTPS://*, unless already supplied by the user.



Associated Login Information

Website URL 

Enter Website (e.g. Google.com)

User ID

Enter User ID


Password 

Enter Password

Cancel **Apply**

3. Magnifier

Press and hold one finger anywhere at the top of the screen and slide to the area of interest to improve visibility.




4. Edit Item



The function allows for substantial content modifications of the current Lockbox Item of interest. Supplemental images can be associated to further augment the Lockbox Item.



When a Lockbox Item is edited, a 'Folder' icon is shown at the bottom of the page which allows for the organization of supplemental imaged to be associated with the subject Item.




Associated images are shown in list format and can be re-arranged for the preferred display order by holding the row's bottom on the right side and sliding the entry into the desired position. Tapping a listed row entry will launch a view to perform editing functions, such as: Delete, Rename, or Image Crop/Rotate.



When done with the handling of Supplemental Images, click the Back button to proceed with any remaining editing of the subject Lockbox Item


C. Update Widget

When swiping a given Lockbox item on the displayed list, the device owner will have a Today Widget shown here that can be reconfigured and stored on the Lock or Home screen of your device.



NOTE: 'Today Widgets' features are only applicable for devices running iOS/iPadOS 16+/macOS.

V. Preferences



- A. Lockbox Accounts
- B. Login Credentials
- C. App Privacy Settings
- D. Feedback
- E. Wallpaper/Widgets
- F. Backup/Restore
- G. Show Quick Tips
- H. Face/Touch ID
- I. Access Security Sentinel


Allows for the configuration of several app-wide behaviors.

A. Lockbox Accounts

Lockbox Accounts are only created when:




- a) the Apple device owner goes through the initial '**UberVault**' app installation process and establishes the primary Lockbox Account
- b) the user is adding the first item into the **UberVault** database for another family member/user

- c) all user Lockbox Accounts and their associated records were deleted and the authorized user starts to enter data again from scratch




The Lockbox Accounts features, only available from the app's Preferences menu, requires secured access authorization and will only allow to either **edit** a Lockbox' Owner private information, or **permanently delete** selected or all Lockbox Accounts, including their associated information. New Lockbox Accounts cannot be created here, however, the unique ID of an existing Lockbox Account can be changed provided no duplicate will be created in the process.


The Primary Lockbox Account holder is highlighted in green color. A non-primary Lockbox Account can be promoted as the Primary Account while demoting an existing one.



Deleting a selected or all Lockbox Accounts will cause a message to be shown requiring user approval for the action to proceed.




If all Lockbox Accounts have been deleted by the user, then the app Main screen will display its initial selection content. The user can then opt to start entering new item data. A prompt will instruct the user how to proceed.



Deleting or modifying a Primary Lockbox Account requires the app user to reconfigure the iOS Lock Screen Widgets for the Lock Screen Wallpaper.

B. Login Credentials

Update the login information in order for the app to be used securely. For privacy reasons, you first have to enter the current app password in order to access this feature.



To prevent unauthorized access to the features of the '**UberVault**' app, you need to provide the following:



Password

Minimum of four Characters

Security Question

Pick one of the presented options from the Drop-down view.



Security Answer

This is your response that is assigned to the Security Question

IMPORTANT: The security Question/Answer pair is required in case you wish to change or recover the app login password, or Restore a previously saved '**UberVault**' backup file.

Login Screen Examples

If the login password cannot be recovered, then the only way to re-enable access to the app features is by either deleting and re-installing the app from the App Store (resulting in the loss of data), or loading a previously saved '**UberVault**' backup file.




Please perform regular device data back-ups in case a restore is ever needed.

C. App Privacy Settings

Displays the current iOS privacy settings related to app '**UberVault**'.

The user can change the settings based on certain features to be performed by the app.



D. Feedback

Transfer constructive feedback and suggestions to our developers via the Apple App Store.

Your comments will be reviewed by our team to improve the functionality of the app in upcoming releases.


The device has to be connected to the Internet in order to perform this function.




E. Wallpaper/Widgets

1. Device Recovery Wallpaper


Create a Wallpaper image here to be assigned as the Lock Screen recovery message in case of device loss. The recovery text should be brief and include a valid email address so a Finder could make contact to facilitate return of the unit. The initial display is a template for the user to substitute a valid email address as well as a recovery text message.

Built-in default examples can be selected and subsequently customized. The app will also offer pro-forma wallpaper images, which the user can substitute.





Several built-in images are available and can be presented by using the Page Control at the bottom of the screen.




Use the camera icon to select your personal background image using the built-in camera, or a selected image from the Photos Library.

Touch the 'Compose' button at the bottom of the screen to create the customized text message.

Tapping the 'Globe' icon will toggle a recovery text message in a different language (English, German, Spanish).


Note that the recovery text will overlay the image.

Touch the 'Done' button to complete the Wallpaper Recover Image creation.



Please do not forget to assign the Wallpaper image for the Lock Screen of the device

2. Widgets




The user has the option to configure two widget types for prominent display on the device Lock Screen.

NOTE: For Mac Apple silicon devices, there is only the Today Widget feature available


1. Today View Type

Users running the '**UberVault**' app on devices with version iOS/iPadOS 16+ can configure one large sized widget for prominent display on the Home Screen and/or the Lock Screen (Select Settings—>Face ID & Passcode—>[enter your passcode]—>ALLOW ACCESS WHEN LOCKED:—>Today View).

Touching a widget on a Lock or Home Screen will cause the '**UberVault**' app be launched.




2. Lock Screen Accessory Widget Type



This feature is not available when running on Mac with Apple silicon.

When the user selects the Lock Screen Accessory Widget type, a screen is displayed to either launch the app Help Document, or start customizing the content of up to four widget configurations.



The widget Configuration view displays the initial system default values assigned to the Lock Screen Accessory widgets. These values should be modified by the user to reflect actual contact information assisting a Finder to contact the Owner in case the device is lost.



Users running the '**UberVault**' app on devices with version iOS 16+ can configure up to three differently sized widgets for prominent display on the Lock Screen.

Space is limited. Display the most important recovery information, such as the device owner contact data, making sure it fits into the available space, and focus on legibility.

The general procedure to add, edit, or switch between different widgets from your Lock Screen are to touch and hold the screen.

Following are examples of specific steps:

1. Swipe down from the top-left side of the screen to view the device Lock Screen. Tap and hold it until the screen pops up with a button that says "Customize" and a plus sign in a blue circle appears at the bottom right.
2. Tap on "Customize" and tap again the Lock Screen image on the left of the screen
3. Tap the area under the time display. If there are no existing widgets displayed, select "Add Widgets".
4. Scroll to search for the 'UberVault' widgets.




5. Tap or drag to add the desired widget to the bar below the time.



6. To add the *Inline Widget* in addition to the Rectangular versions, tap the line above the time. Then search the “Chose Widget” display for the ‘**UberVault**’ app icon. Tap the icon to populate the *Inline Widget* at the top of the screen.

7. **Once you've added all widgets**, tap "Done" in the top right-hand corner to save them.” Tap the Lock Screen again to activate.



The example on the left show the Device Recovery Tag Accessory Widgets as displayed on an iOS 16+ Lock Screen.

NOTE: Tapping any one of the widgets on the Lock Screen will cause the **'UberVault'** app be launched.

F. Backup/Restore

The **UberVault** Lockbox database contained within the app can be exported as a backup file either through macOS, or via other iOS/iPadOS Files app actions.

The Backup and Restore functions can be accessed from the apps' Preferences view.



Note that some temporary back files will be generated automatically in the background, such when Lockbox Items are deleted or before a Lockbox database is restored.

Backup files are securely encoded utilizing proprietary algorithms to prevent unauthorized access when exported outside the '**UberVault**' app.

Please be aware that a backup file can only be restored by the user authenticating with the same password and access Security Answer that was in effect when the backup was created.

Backup Function


When a user requests a backup, the system offers the option to generate a file for export to be accessed via iTunes/macOS File sharing or other available iOS Actions (such as email attachment, Files app storages, etc).



The exported file has a Date/Time-stamped name with an .lkbox extension.

Restore Function


For privacy reasons, you first have to enter your current app password in order to access the Backup File Restore Function.



Invoking the Restore button will display a list of available files for maintenance as well as restoration into the **'UberVault'** app.

This list can hold a history of up to fifteen (15) copies of Lockbox backup file identifiers.

A list entry with a Checkmark indicates the most recently created backup file.



The list of restore files can be selectively deleted or moved for external access via Files app, File Sharing using the iTunes, Files app, or macOS Finder app.

Before a selected file is restored (and synchronized with the live '**UberVault**' database), a copy of the current database is automatically saved first and added to this list for available future recovery.



When a backup file is added to the history list, and the maximum number (15) of list entries has been reached, the oldest file is permanently removed first to prevent exceeding the limit of the list.

In order to minimize device storage requirements to retain copies of backup files, the user has the ability to control the backup file retention period. By tapping the 'Trash' icon at the bottom of the screen, the following options are displayed:



a) Configure Cleanup

This option enables a dynamic deletion of any saved backup files exceeding a user-selected retention period. The 'With Notification' option, when enabled, will send a alert notification to the user to allow for further interaction. If no notification is selected, then all backup files having the retention period expired will be automatically deleted without user intervention.

After the user has selected the desired retention period, 'Save' should be tapped to activate the feature.



When the app determines that one or more backup files are ready to be deleted, a notification (if so configured) will be displayed to the user to invoke the action to either, Show the Current Retention Period Settings for review or modification, Ignore the event without having any deletion occur, or apply the deletion of the affected backup files immediately.




b) Delete All

Will immediately delete all backup files from storage. There is no 'undo'.

A backup file consists of an alpha preamble plus the date and time of creation.


A preamble of 'UVBK_' indicates a file which is directly accessible internally by the '**UberVault**' app or imported from an external input source (e.g. email attachment, etc). Whereas a preamble of 'UVBKFS_' denotes a file which is accessible internally by the '**UberVault**' app as well as via Files app, File Sharing with iTunes, or the macOS Finder access procedure.



A backup file can be securely imported on any iOS/iPadOS/ macOS device running the '**UberVault**' app.

Prior to loading a backup file from an external source, the user has to first log into the '**UberVault**' app.

The password, as well as a Security Answer, that were in effect at the time when the backup file was created need, to be provided for authentication purposes.



File recovery options include 'Synchronize' and 'Full Replace'.

- Synchronize

This option will retain the current app configuration settings and copy new Lockbox Items from the backup file into the '**UberVault**' database.

If a Lockbox Item already exists, then it will be updated, provided the corresponding item from the input file has a more current creation date.


If the date is older, then the input record will be ignored.

- Full Replace

This option will replace all current data and user settings with the information from the backup file.

However, before either option is applied, a temporary backup copy is made for later access by the user.

Upon successful importation of the backup database, the user can resume normal operation after restarting the app from the device Home Screen.




NOTE: *A local push notification will alert the user if the ‘UberVault’ database was modified but not externally backed up within a certain time frame.*

G. Show Quick Tips

When selected ON, will display app usage tips and informative prompts at certain phases during user data input.

The tips and prompts can be turned off once the user is familiar with the basic app operating methods.




H. Face/TOUCH ID

If this switch is set On, for devices having the built-in hardware feature, will use it to authenticate the user to log into the app.


I. Access Security Sentinel

The Access Security Sentinel causes the app to automatically log out after a user-set inactivity period.

Please note that if the user configured a zero time-out, certain secured function will require a new password authentication in order to proceed.



VI. App Help Guide



The App Help Guide will be displayed in a PDF view which offers user-friendly search, copy, and document sharing options.

Tapping the 'Help' button at the top left side of the view will launch the in-app Help Guide.

This example displays a version of the App Help Manual.

The bottom of the view allows to show/hide the document

side bar, search and page navigation functions, as well as user actions which allow for the external transfer of the manual.

